



CITY OF WARWICK
PURCHASING DIVISION
3275 POST ROAD
WARWICK, RHODE ISLAND 02886
TEL. (401) 738-2000, ext. 6240
FAX (401) 737-2364

SCOTT AVEDISIAN
MAYOR

JAMES F. MARCELLO
PURCHASING AGENT

The following notice is to appear on the City of Warwick's website Tuesday, October 21, 2014. The website address is <http://www.warwickri.gov/bids>.

**CITY OF WARWICK
BIDS REQUESTED FOR**

**Bid #2015-127 Annual Bituminous Concrete & Portland Cement
As Needed Repair Services for Sidewalks & Roadways**

Specifications are available in the Purchasing Division, Warwick City Hall, Monday through Friday, 8:30 AM until 4:30 PM on or after Tuesday, October 21, 2014.

Sealed bids will be received in the Purchasing Division, Warwick City Hall, 3275 Post Road, Warwick, Rhode Island 02886 up until 10:00 AM on Monday, November 3, 2014 Council Chambers, 2nd Floor, Warwick City Hall.

Awards shall be made on the basis of the lowest evaluated or responsive bid price. Please note that no bids can be accepted via email or fax.

Individuals requesting interpreter services for the hearing impaired must notify the Purchasing Division at 401-738-2000, Ext. 6241 at least 48 hours in advance of the bid opening date.

Original Signature on File

James F. Marcello
Purchasing Agent

THIS PAGE SHOULD BE SUBMITTED WITH YOUR BID

Acknowledgement of Addendum (if applicable)

Addendum Number

Signature of Bidder

COMPANY NAME: _____

COMPANY ADDRESS: _____

COMPANY ADDRESS: _____

BIDDER'S SIGNATURE: _____

BIDDER'S NAME (PRINT): _____

TITLE: _____ TEL. NO.: _____

EMAIL ADDRESS: _____ *

*Please include your email address. Future bids will be emailed, unless otherwise noted.

=====

II. AWARD AND CONTRACT:

The CITY OF WARWICK, acting as duly authorized through its Purchasing Agent/Finance Director/Mayor (delete if inapplicable), accepts the above bid and hereby enters into a contract with the above party to pay the bid price upon completion of the project or receipt of the goods unless another payment schedule is contained in the specifications. All terms of the specifications, both substantive and procedural, are made terms of this contract.

DATE: _____

BID #2015-127

PURCHASING AGENT

CERTIFICATION & WARRANT FORM

**This form must be completed and submitted with sealed bid.
Failure to do so will result in automatic rejection.**

Any and all bids shall contain a certification and warrant that they comply with all relevant and pertinent statutes, laws, ordinances and regulations, in particular, but not limited to Chapter 16- Conflicts of Interest, of the Code of Ordinances of the City of Warwick. Any proven violation of this warranty and representation by a bidder at the time of the bid or during the course of the contract, included, but not limited to negligent acts, either directly or indirectly through agents and/or sub-contractors, shall render the bidder's contract terminated and the bidder shall be required to reimburse the City for any and all costs incurred by the City, including reasonable attorney fees, to prosecute and/or enforce this provision.

Signature

Date

Company Name

Address

Address

**CITY OF WARWICK
NOTICE TO BIDDERS**

**Bid #2015-127 Annual Bituminous Concrete & Portland Cement
As Needed Repair Services for Sidewalks & Roadways**

Specifications are available in the Purchasing Division, Warwick City Hall, Monday through Friday, 8:30 AM until 4:30 PM on or after Tuesday, October 21, 2014.

Sealed bids will be received in the Purchasing Division, Warwick City Hall, 3275 Post Road, Warwick, Rhode Island 02886 up until 10:00 AM on Monday, November 3, 2014 Council Chambers, 2nd Floor, Warwick City Hall.

The opening of bids shall be in the order established by the posted agenda and the agenda shall continue uninterrupted until completion.

Once an item has been reached and any bids on that item has been opened, no other bids on that item will be accepted and any such bid shall be deemed late.

The contractor will not discriminate against any employee or applicant for employment because of physical or mental handicap for any position for which the employee or applicant is qualified and that in the event of noncompliance the City may declare the contractor in breach and take any necessary legal recourse including termination or cancellation of the contract.

A bidder filing a bid thereby certifies that no officer, agent, or employee of the City has a pecuniary interest in the bid or has participated in contract negotiations on the part of the City, that the bid is made in good faith without fraud, collusion, or connection of any kind with any other bidder for the same call for bids, and that the bidder is competing solely in his own behalf without connection with, or obligation to, any undisclosed person or firm.

All bids should be submitted with one (1) original and one (1) copy in a sealed envelope which should read: *YOUR COMPANY NAME* and plainly marked on the exterior of the envelope "Bid #2015-127 Annual Bituminous Concrete & Portland Cement As Needed Repair Services for Sidewalks & Roadways."

Bids received prior to the time of the opening will be securely kept, unopened. No responsibility will be attached to an officer or person for the premature opening of a bid not properly addressed and identified. No proposals shall be accepted via facsimile or email.

Should you have any questions regarding this award, please contact Dan O'Rourke, Water Division, 935 Sandy Lane, Warwick, RI at 401-738-2000, extension 6604.

All bids should be written in ink or typed. If there is a correction with whiteout, the bidder must initial the change.

If you received this document from our homepage or from a source other than the City of Warwick Purchasing Division, please check with our office prior to submitting your bid to ensure that you have a complete package. The Purchasing Division cannot be responsible to provide addenda if we do not have you on record as a plan holder.

The successful bidder must provide the City of Warwick with an **original** certificate of insurance for General & Automotive Liability in a minimum amount of \$5 million, (faxes are not acceptable) naming the **City of Warwick as the additional insured** and so stated on the certificate with the bid name and bid number. It is the vendor's responsibility to provide the City of Warwick with an updated Certificate of Insurance upon expiration of the original certificate.

The successful bidder must furnish a labor and material bond, and a performance bond in the amount of \$20,000.00. Performance bond must be written to remain in effect until termination of the two (2) year warranty period in conjunction with the last repair work completed under the contract.

The successful bidder will provide said insurance/bonds within ten (10) calendar days after notification of award or the City reserves the right to rescind said award.

The successful bidder must comply with all Rhode Island Labor Laws, Chapter 37-12-13, and all other applicable Local, State and Federal Laws.

Prevailing Wages will apply to this bid. Current rates may be viewed at <http://www.dlt.state.ri.us/pw>. The General Decision number is RI140001 09/26/2014 RI1.

The contractor shall keep himself informed of and comply with all laws, ordinances and regulations of the federal, state and municipal governments which may apply and be in force during the life of the contract, in any manner which may affect himself/employees or the conduct of the work or the materials used or employed in the work. Before submitting bids, prospective bidders shall examine the terms, covenants and conditions of all codes, permits and laws, which may apply. By submitting a bid, the bidder agrees to comply with all pertinent laws/regulations if awarded a contract.

Negligence on the part of the bidder in preparing the bid confers no rights for the withdrawal of the bid after it is opened.

Any deviation from the specifications must be noted in writing and attached as part of the bid proposal. The Bidder shall indicate the item or part with the deviation and indicate how the bid will deviate from specifications.

Any bid that includes non-approved alternate brands of goods where approval is required, or exception to the specifications or contractual terms of the Invitation to Bid, may be non-responsive and may be rejected.

The contractor must carry sufficient liability insurance and agree to indemnify the city against all claims of any nature, which might arise as a result of his operations or conduct of work.

The IRS Form W-9 attached should be completed and submitted with the bid if the bidder falls under IRS requirements to file this form.

The City is exempt from the payment of the Rhode Island Sales Tax under the 1956 General Laws of the State of Rhode Island, 44-18-30, Paragraph I, as amended.

The successful bidder must comply with all Rhode Island Laws, applicable to public works projects, including, but not limited to provisions of Chapter 13 of Title 37 of the Rhode Island General Laws, pertaining to prevailing wage rates, and all other applicable local, state and federal laws.

The Purchasing Agent reserves the right to reject any and all bids, to waive any minor deviations or informalities in the bids received, and to accept the bid deemed most favorable to the interest of the City.

Prices to be held firm December 23, 2014 through December 22, 2015. Term contracts may be extended for one additional term upon mutual agreement unless otherwise stated.

The City reserves the right to terminate the contract or any part of the contract in the best interests of the City, upon 30-day notice to the contractor. The City shall incur no liability for materials or services not yet ordered if it terminates in the best interests of the City. If the City terminates in the interests of the City after an order for materials or services have been placed, the contractor shall be entitled to compensation upon submission of invoices and proper proof of claim, in that proportion which its services and products were satisfactorily rendered or provided, as well as expenses necessarily incurred in the performance of work up to time of termination.

No extra charges for delivery, handling or other services will be honored. All claims for damage in transit shall be the responsibility of the successful bidder. Deliveries must be made during normal working hours unless otherwise agreed upon.

All costs directly or indirectly related to the preparation of a response to this solicitation, or any presentation or communication to supplement and/or clarify any response to this Solicitation, which may be required or requested by the City of Warwick shall be the sole responsibility of and shall be borne by the respondent.

If the respondent is awarded a contract in accordance with this solicitation and the respondents proposal or response and if the respondent fails or refuses to satisfy fully all of the respondents obligations thereunder, the City of Warwick shall be entitled to recover from the respondent any losses, damages or costs incurred by the City as a result of such failure or refusal.

The City reserves the right to award in part or full and to increase or decrease quantities in the best interest of the City.

Any quantity reference in the bid specifications are estimates only, and do not represent a commitment on the part of the City of Warwick to any level of billing activity. It is understood and agreed that the agreement shall cover the actual quantities ordered during the contract period.

The City reserves the right to rescind award for non-compliance to bid specifications.

The successful bidder must adhere to all City, State and Federal Laws, where applicable.

Department of Public Works
Annual Bituminous Concrete & Portland Cement
As Needed Repair Services for
Sidewalks and Roadways
Instructions to Bidders

ARTICLE 1. QUALIFICATIONS OF BIDDERS

- 1.1 Bidders may be investigated by Warwick Water Division to determine if they are qualified to perform the work. All bidders shall be prepared to submit the Water Division upon request, written evidence of such information and data necessary to make the determination.
- 1.2 The investigation of a Bidders will seek to determine whether the organization is adequate in size, is authorized to do business in the jurisdiction where the project is located, has had previous experience and whether available equipment and financial resources are adequate to assure the Water Division that the products or services will be delivered in accordance with the terms of the purchase orders and the Bituminous Concrete and Portland Cement Repair Services for Sidewalks and Roadway documents.
- 1.3 No Bidder may be considered if they are indebted to the City of Warwick for any unresolved issues regarding unpaid invoices issued by the City of Warwick or services and materials owed to the City of Warwick.
- 1.4 In evaluating Bids, the Water Division will consider the qualifications of only those Bidders who's Bids are in compliance with the prescribed requirements and the advertisement for bids.
- 1.5 The Water Division reserves the right to reject any Bid, or parts thereof, if the evidence submitted by, or the investigation of, such Bidders fails to satisfy the City of Warwick Water Division that such Bidders are properly qualified to carry out the obligations of the Bituminous Concrete and Portland Cement Repair Services for Sidewalks and Roadway Documents and to complete the Work contemplated therein.

ARTICLE 2. COPIES OF DOCUMENTS

- 2.1 Before submitting a Bid, each Bidder must examine the bid Documents thoroughly, and familiarize themselves with the Federal, State, City and Town requirements concerning sidewalk and roadway repairs, along with all the specifications contained in the RIDOT standard specifications for road and bridge construction relative to paving and sidewalk repairs.
- 2.2 Bid prices must reflect adherence to the provisions of State Labor Laws concerning payment of prevailing wages (RIGL 37-13-1 as amended). The rates of pay set forth in these provisions are the minimums to be paid during the life of the contract. Contractor shall submit certified payrolls with pay estimates for work payments on this project.
- 2.3 The submission of a Bid will constitute and incontrovertible representation by the Bidders that they have complied with every requirement of this Article 3 and that the Documents are sufficient in scope and detail to indicate and convey understanding of all terms and conditions for performance of the Work.

ARTICLE 3. INTERPRETATIONS

- 3.1 All questions about the meaning or intent of the Bid Documents shall be submitted in writing to the City of Warwick Purchasing Agent.
- 3.2 Written clarifications or interpretations will be issued if requested by Addenda not later than four (4) calendar days before the bid opening date. Only questions answered by formal written Addenda will be binding. Oral and other clarifications or interpretations will be without legal effect. Addenda will be mailed to all parties recorded as having received the Annual Bituminous Concrete and Portland Cement Repair Services for Sidewalks and Roadways Documents.
- 3.3 Each Bidder shall be responsible for determining that he has received all Addenda issued.

ARTICLE 4. BID FORM

- 4.1 Each Bid shall be submitted on the Forms contained in the Documents. All blank spaces for Bid prices must be filled in with the unit price for the item or the lump sum for which the Bid is made.
- 4.2 Bid Forms shall be completed in ink or by typewriter. The Bid price of each item on the form shall be stated in words, and figures. If unit prices are required on the Bid Form, discrepancies between unit prices and their respective total amounts will be resolved in favor of words. Discrepancies between the indicated sum of any column of figures and the correct sum thereof will be resolved in favor of the correct sum.
- 4.3 Bids by corporations shall be executed in the corporate name by the president or a vice-president (or other corporate officer accompanied by evidence of authority to sign) and the corporate seal shall be affixed and attested by the secretary or an assistant secretary. The corporate address and state of incorporation shall be shown below the signature.
- 4.4 Bids by partnerships shall be executed in the partnership name and signed by a partner, whose title shall appear under the signature. The official address of the partnership shall be shown below the signature.
- 4.5 All names shall be typed or printed below the signature.
- 4.6 The Bid shall contain an acknowledgement of receipt of all Addenda (the numbers of which shall be filled in on the Bid Form).
- 4.7 The address to which communications regarding the Bid are to be directed shall be known.
- 4.8 One copy of each bid shall be submitted in a sealed envelope bearing on the outside the name of Bidders, his address, and the Project title for which the Bid is submitted. If forwarded by mail, Bid and sealed envelope marked as described above shall be enclosed in another envelope with the notation "BID ENCLOSED" on the face and addressed as indicated in the Invitation to Bid.

ARTICLE 5. RECEIPT OF BIDS

- 5.1 Sealed Bids for Annual Bituminous Concrete and Portland Cement Repair Services for Sidewalks and Roadways will be received at the time and place indicated in the Invitation to Bid.
- 5.2 The Water Division may consider informal any Bid not prepared and submitted in accordance with the provisions hereof.

ARTICLE 6. AWARD OF PURCHASE ORDER

- 6.1 The Purchase Order will be awarded in conformance with City of Warwick Purchasing Regulations, to the lowest responsible and eligible Bidder (Successful Bidders). Such a Bidder shall possess the skill, proper material, ability, and integrity necessary for the faithful performance of the work. The term “lowest responsible and eligible Bidders” as used herein shall mean the Bidder whose Bid is the lowest of those Bidders possessing the skill, proper material, ability, and integrity necessary to the faithful performance of the Work. The Warwick Water Division reserves the right to award whole or in part as indicated in each of the sub part totals of the bid forms. In the event successful Bidder is not able to perform contractual obligations in a timely manner, the City of Warwick reserves the right to award the bid to any of the other qualified Bidders.
- 6.2 The City of Warwick reserves the right to reject any and all bids, or parts thereof, to waive any and all informalities if it is in the best interest of the City of Warwick. Also, the City of Warwick has the right to disregard all nonconforming, non-responsive, or conditional Bids or portions thereof.
- 6.3 A Bid, which includes for any item a Bid Price that is abnormally low or high may be rejected as unbalanced.
- 6.4 The Water Division reserves the right to reject the Bid of any Bidders the Water Division considers to be unqualified relative to Article 1 above.
- 6.5 Warwick Water Division may, at their sole discretion, award any portion or portions of the selected Bidders bid. Bidders shall accept the Purchase Order as written for all or portions determined as the lowest responsible Bidders by Warwick Water Division.

ARTICLE 7. SALES TAX

- 7.1 The materials and supplies to be used in the Work are tax-exempt R.I. State Law, Section 39.16 of the State Code.

ARTICLE 8. TIME OF COMPLETION/MATERIAL DELIVERY

- 8.1 The services to be provided under this purchase order contract shall commence upon receipt of purchase order by the successful Bidder and shall extend one year from date of award. All work submitted on or before the expiration date, will be completed by the contractor in accordance with the terms and conditions of the contract, even though completion may extend beyond the contract expiration date.

This contract may, upon mutual agreement of both parties, be extended for not more than one (1) additional year without any change in Bid Item prices. Each repair action approved by the Warwick Water Division, for services or material to be performed under this purchase order, will be completed within twenty (20) calendar days after the required waiting period for gravel base settling as set by the State or Local authority. No additional work other than requested by the Water Division will be accepted for payment. The contractor is solely responsible to coordinate completion of all work with State and Local agencies and obtain written acceptance of the repair work including any required permitting by the permitting authority.

- 8.2 Upon request the contractor shall respond to an emergency request for pavement restoration within a 24-hour period. An emergency request shall be as determined by the Warwick Water Division.

ARTICLE 9. BONDS AND INSURANCES

- 9.1 Each and every Bidder shall provide written evidence at time of bid submission and attached thereto that they have or will acquire prior to execution of the work or letter of engagement to the Warwick Water Authority.
- 9.2 Worker's Compensation
- 9.3 Worker's Compensation Statutory
- 9.4 Employer's Liability 5 million
- 9.5 Comprehensive General Liability including Premise/Operations; Explosion, Collapse and Underground Property Damage; Products/Completed Operations, Broad Form Contractual, Independent Contractor's; Broad Form Property Damage; and Personal Injury liabilities.
- 9.6 Bodily Injury: 5 million Each Occurrence
 5 million Annual Aggregate
- Property Damage 5 million Each Occurrence
 5 million Annual Aggregate
- Personal Injury,
 with employment
 exclusion deleted 5 million Annual Aggregate
- 9.7 Comprehensive Automobile Liability including all owned (private and others), hired and non-owned vehicles:
- Bodily Injury 5 million Each Person
 5 million Each Accident

- 9.8 Property Damage 5 million Each Occurrence
- 9.9 The successful Bidder must furnish a performance, labor and material bond in the amount of \$20,000.00 with a surety company acceptable to the owner and on the forms acceptable to the owner, as security for faithful performance of the contract and executed by a surety company licensed to do business in the State of Rhode Island. The failure of the successful bidder to supply the required Bonds within a time specified by the Warwick Water Division shall constitute a default, and the Warwick Water Division may award the contract to the next lowest Bidder or at its discretion re-advertise for bids.
- 9.10 Performance bond must be written to remain in effect until termination of the two (2) year warranty period in conjunction with the last repair work completed under the contract.
- 9.11 The City of Warwick employee's, agents and assigns shall be named as additional insured on all policies.

ARTICLE 10. SCOPE OF WORK

- 10.1 GENERAL- the work involves pavement and concrete installation, repair and/or resurfacing required to restore areas disturbed as a result of water system infrastructure installation and repair. The contractor shall furnish all materials, labor, equipment and incidentals necessary and proper to complete the work in accordance with these specification and all state and municipal requirements.
- 10.2 Notify appropriate State and Local authorities in writing prior to commencing work. Furnish all services, labor, material, equipment, permits and incidentals required to remove temporary patch, saw cut, install and compact up to 12 inches of gravel base to 95% proctor. Place and compact a binder course(s) and/or dowel and install a concrete base with asphalt binder course(s).
- 10.3 Furnish and install as asphalt tack coat, to ensure that all courses have proper adhesion and the course edges are properly sealed.
- 10.4 Place and compact 2-inch bituminous concrete surface course(s) and binder courses, ensuring that the final surface course is in close conformance with the lines, grades, and typical cross sections of all existing pavement.
- 10.5 Accomplish all required saw and key cutting, and cold planing.
- 10.6 Seal all saw cut edges with pressurized hot liquid asphalt sealing compound.

- 10.7 Upon request and approval by the Water Division perform infrared sealing techniques.
- 10.8 Upon request and approval by the Water Division furnish all labor, equipment, materials and incidentals required to raise and or reset concrete/granite curbing.
- 10.9 Furnish all labor, equipment, materials and incidentals required to saw cut to full depth the existing Portland cement sidewalk panels designated for repair. Remove all materials, including existing sidewalks encountered, to a depth of 4 inches below the level of the existing sidewalks. As necessary, install and compact up to 6 inches of gravel base to 95% proctor. Adjust gate box(s) and other appurtenances to finished grade.
- 10.10 Furnish all labor, equipment, materials and incidentals required to saw cut to full depth the existing bituminous concrete sidewalk designated for repair. Remove and dispose of materials in way of the work. As necessary, install and compact up to 6 inches of gravel base to 95% proctor. Place 4 inches thick compacted bituminous concrete. Finished walk to edge match the adjacent bituminous sidewalks and curbing.
- 10.11 Provide traffic control as needed and required by local police departments and RIDOT standard traffic control requirements. Develop and provide traffic control plans to requesting authorities. All copies of police traffic control billings must be submitted with any billings.
- 10.12 Provide barricades or steel plates and signage as necessary to maintain roadways passable during work efforts and concrete base cure period.

ARTICLE 11. REFERENCE STANDARDS

- 11.1 Except as otherwise specified herein, the Rhode Island Department of Transportation Standard Specifications for Road and Bridge Construction, road opening permit instructions, all addenda and supplements thereto, shall apply to materials and workmanship required for the work of this section. The Warwick Water Division will make any final determination regarding any conflicts between the contract documents permits and the RIDOT Standard Specifications.
- 11.2 Where reference is made to one of the above standards, the revision in effect at the time of bid opening shall apply.

ARTICLE 12. MATERIALS

- 12.1 Calcium chloride shall conform to AASHTO M144, Type 1 of Type 11.
- 12.2 All paving materials shall conform to part 300, 400, 00, M.03 and and M.02 of the RIDOT standard specifications.

- 12.3 All materials furnished and placed under this item shall conform to RIDOT specifications.
- 12.4 Concrete for road base repairs shall be 2-5 day cure as required by RIDOT specifications, Parts: M.02, 500, 600, Class X(AE) 799/752 with DCI, 5000 psi compressive strength, 2-5 day cure.

ARTICLE 13. INSTALLATION

- 13.1 Materials for pavement and concrete base shall be mixed, delivered, placed and compacted in accordance with the referenced RIDOT specification, Sections M.02, M.03 Part(S) 300, 400, 500, 600.
- 13.2 Whenever the sub-base becomes dry enough to cause dust problems, an approved method of stabilization consists of sprinkling or other methods will be permitted to control dust. The use of petroleum products is prohibited. The use of chlorides may be permitted with approval. Sprinkling to be approved, must be repeated at such intervals as to keep all parts of the disturbed area at least damp at all times, and the Contractor must have sufficient competent equipment on the job to accomplish this if sprinkling is used. Dust control shall be performed as the work proceeds.
- 13.3 When the air temperature falls below 50 degrees F, extra precautions shall be taken in drying the aggregates, controlling the temperatures of the materials and placing and compacting the mixtures.
- 13.4 No mixtures shall be placed when the air temperature is below 40 degrees F, nor when the material on which the mixtures are to be placed contains frost or has a surface temperature not suitable to proper bonding.
- 13.5 No vehicular traffic or loads shall be permitted on the newly completed pavement or sidewalks until adequate stability has been attained and the material has cooled sufficiently to prevent distortion or loss of fines. If the climatic or other conditions warrant it, the period of time before opening to traffic may be extended at the discretion of the Warwick Water Division.
- 13.6 All pavement thickness referred to herein are compacted thickness. The contractor shall place sufficient material to ensure that the specified thickness of pavement results.
- 13.7 Immediately before applying bituminous pavement, the entire area to be surfaced shall be cleaned of all loose materials.
- 13.8 Maintain pavement under this Contract during the two-year guarantee period. Promptly refill and repave areas, which have settled or are otherwise unsatisfactory for traffic to the satisfaction of the governing authority.

- 13.9 No pedestrian traffic or loads shall be permitted on the newly completed concrete sidewalks until adequate stability has been attained and the material has cured sufficiently to prevent distortion or impressions. If the climate or other conditions warrant it, the period of time before opening to traffic may be extended at the discretion of the Warwick Water Division.
- 13.10 All locations shall be cut with a power saw on a true straight line. Subsidiary to this work shall be the application of emulsion bituminous brush coat material to all cut surfaces.
- 13.11 Within the limits of the paving adjust all manholes, catch basins, and gate boxes to proper grade. Backfill around the heads and up to the existing grades shall be made with concrete as required by state and local specifications. Furnish, install and compact up to 12 inches of gravel base to 95% proctor.
- 13.12 Provide and install, as necessary, asphalt tack coat(s), select leveling and filler aggregate to adjust the base or sub-base surface. Install binder and/or concrete base and asphalt binder course(s) to ensure surface course will be in close conformance with the lines, grades, and typical cross section in reference to the roadway designated for repair.
- 13.13 Provide, place, and compact a final full width 2-inch bituminous concrete surface course in accordance with RIDOT standard specifications. Prior to placement of the top course, the entire surface of the existing pavement along the saw cut, binder course, and any temporary placement, shall be swept clean and tack coated with a liquid asphalt emulsion compound.
- 13.14 All pavements shall be placed and compacted by steel-wheeled rollers of sufficient weight to thoroughly compact the bituminous concrete without damaging the existing pavement. The new pavement shall be rolled smooth and even. The final surface shall match the existing abutting pavement.
- 13.15 As the permit requires, the edges of all sawed joints shall be sealed either by Infrared sealing or using hot liquid asphalt sealing compound by pressure application equipment suitable to ensure the final seam between the old and new asphalt have been filled to refusal, so as to eliminate all voids or entrapped air and so as to not leave any unnecessary surplus sealer on the pavement. Hot liquid sealing is considered part of the repair work and no separate payment will be considered. Infrared sealing shall be on a case-by-case basis as authorized by Warwick Water Division and payment shall be at the per linear foot pricing.

ARTICLE 14. PAVEMENT MARKINGS

- 14.1 Reline all disturbed or removed pavement markings with pavement markings equal in type and location as the markings that existed prior to resurfacing or paving. RIDOT standards and road permit requirements shall prevail.

ARTICLE 15. BITUMINOUS CONCRETE SIDEWALKS

- 15.1 All materials furnished and placed under this item shall conform to State Specifications.
- 15.2 Saw cut to full depth the area designated for repair. Remove all materials, including existing sidewalks encountered, to a depth of 3 inches below the level of the existing sidewalks. Fine grade and compact the supporting surface. Adjust gate/curb box(s) or other appurtenances to finished grade.
- 15.3 Furnish install and compact up to 6 inches of compacted gravel base. Place 4 inches thick compacted bituminous concrete. New bituminous concrete shall edge match the adjacent sidewalks.
- 15.4 The edges of all sawed joints shall be sealed by using hot liquid asphalt sealing compound by pressure application equipment suitable to ensure the final seam between the old and new asphalt have been filled to refusal, so as to eliminate all voids or entrapped air so as to not leave any unnecessary surplus sealer on the pavement. Payment shall be at the per linear foot pricing.
- 15.5 Furnish and install loam and seed as necessary to restore landscaped areas.
- 15.6 Upon request and approval of the Warwick Water Division, raise and/or reset curbing.

ARTICLE 16. CONCRETE SIDEWALKS

- 16.1 All materials furnished and placed under this item shall conform to State Specifications section 905, 600, M.02 for 3000 PSI ¾" sidewalk mix.
- 16.2 Saw cut to full depth the existing panels designated for repair. Remove all materials, including existing sidewalks encountered, to a depth of 4 inches below the level of the existing sidewalks. Fine grade and compact the supporting surface. Adjust gate boxes or other appurtenances to finished grade.
- 16.3 Furnish, install and compact up to 6 inches of gravel base. Place forms and install expansion joints to isolate new construction from the existing sidewalks. Place 4 inches thick cement concrete. Concrete shall be scored and finished to appear and match the adjacent sidewalks.

- 16.4 Remove Forms.
- 16.5 Furnish and install, loam and seed as necessary to restore landscaped areas.
- 16.6 Upon request and approval of the Warwick Water Division, raise and/or reset curbing.

ARTICLE 17. EMERGENCY TEMPORARY HOT PATCHING

- 17.1 Neatly cut existing pavement on all sides.
- 17.2 Furnish, install and compact up to 12 inches of gravel base to 95% proctor. The subgrade shall be left free of loose asphalt, debris and excess moisture.
- 17.3 Place bituminous patch material in properly compacted 2-inch lifts to achieve a maximum of 4 compacted inches. When completed, the patch shall be left flush with the existing roadway surface.

ARTICLE 18. OVERLAY PAVING

- 18.1 With the exception of the curb line transition, keyways shall be cut at all intersecting transitions along the perimeter of the area to be paved. This provision shall also include driveways, sidewalks and intersecting streets.
- 18.2 Cold plane or grind an 18-inch pathway, a minimum of 1 inch in depth along the curb line. Remove and dispose of all waste materials. In areas where there is no backing for the curb payment, provide and install loam and seed, or gravel transition as applicable for the surrounding conditions.
- 18.3 In areas of permanent top course paving, existing catch basins, manhole castings, and valve boxes shall be raised to the proper grade for permanent top course installation.
- 18.4 Install as required or directed by the Water Division, a leveling pavement course to restore the proper line and cross section of the existing pavement prior to installation of the permanent pavement overlay course.
- 18.5 Broom clean the entire area and install hot poured rubberized emulsified asphalt sealant tack coat meeting the requirements of Federal Specifications SS-S-1401 or SS-S-164.
- 18.6 Install full width 1 ½" inch thickness overlay top course within the perimeter lines designated for the pavement restoration.
- 18.7 Surface tolerances shall be tested using an approved 10-foot straight edge furnished by the contractor. The surface variation from the testing edge of the straight edge between any two contact points shall at no point exceed 1/4 of an inch. All humps or depressions that exceed this tolerance shall be corrected by removing the defective work and replacing it with new material.

ARTICLE 19. FINAL CLEANING

- 19.1 The contractor shall leave all project areas in a condition equal to that prior to the performance of the work.
- 19.2 Clean Site, sweep paved areas, rake clean landscaped surfaces, remove and dispose of debris.
- 19.3 Remove and dispose of waste, surplus materials, rubbish, and any excess construction materials.
- 19.4 The Contractor shall restore or replace, when and as directed, any public or private property damaged by his work, equipment, or employees, to a condition at least equal to that existing immediately prior to the beginning of operations. To this end the contractor shall accomplish, as required, all necessary highway or driveway, walk, and landscaping work. Suitable materials, equipment and methods shall be used for such restoration. The restoration of existing property or structures shall be done as promptly, and as practicable, as work progresses, and shall not be left until the end of the contract period.
- 19.5 Contact the Warwick Water Division and the responsible State or Local entity to conduct an inspection of the repair work.

ARTICLE 20. GUARANTEE

- 20.1 The Bidders shall guarantee all work, services and materials furnished for a period of two (2) years from the date of installation to be free from all defects resultant from faulty material or workmanship. The contractor shall promptly take necessary action to correct any deficiency and/or replace defective material to the satisfaction of the Warwick Water Division. The Bidders further warrants that all material is in full conformance with the Material Purchase Documents and RIDOT Specifications.
- 20.2 The Bidders shall also guarantee any work performed shall not adversely affect the current or future drainage of properties located within the area that the work will be performed. The Bidders shall hold harmless the City of Warwick from any claims resulting from the work performed and, the Bidders shall promptly make all repairs as necessary to remedy the situation to the requirements of the RIDOT, and City of Warwick Highway standards.
- 20.3 Any concrete/bituminous patch which is not formed, placed or installed in accordance with the contract documents and RIDOT specifications, or for any reason is out of alignment, not level or exhibits a defective surface or fails within the two year guarantee period shall be considered nonconforming with the intent of the contract and shall removed and renewed by the contractor at no additional expense to the City of Warwick.

ARTICLE 21. QUANTITIES

- 21.1 The quantities listed in the Bid are approximate and are given only for use in comparing Bids and to indicate approximately the total amount of the contract. The Water Division does not expressly or by implication represent that the actual amounts of work will even approximately correspond therewith, but does call particular attention to the uncertainty of the quantities of work involved, which cannot be predicted in advance. The actual quantity will be based on the actual work at the unit or lump sum bid prices. Each unit or lump sum price stated in the BID shall be considered to include all labor, materials, Equipment, services, incidentals and appurtenant work required and necessary to satisfactorily complete the work specified in the RIDOT and contract document specifications for the Bituminous Concrete and Portland Cement Repair Services for Sidewalks and Roadways.

ARTICLE 22. PROGRESS OF WORK

- 22.1 Only work requested by the Warwick Water Division will be accepted as authorized work under this contract. The Contractor is not to proceed with any additional work without prior authorization from the Warwick Water Division.
- 22.2 The contractor shall pursue completion of any requested work in a continuous basis. Permanent patching shall be completed within 20 calendar days after the required waiting period for gravel base settling as set by the State or Local authority. Noncompliance with the timeline for completion will be considered as contractor default and subject the contract to termination. Only properly documented prolonged unfavorable weather conditions, that inhibit the contractor's ability to properly perform the work without adversely affecting the finished product, will be given consideration for noncompliance with the completion timeline.
- 22.3 Upon request, the contractor shall furnish information as to the location of work crews scheduling and status of work.

ARTICLE 23. BASIS OF PAYMENT

- 23.1 Payment for road or sidewalk repair shall be at the unit or lump sum price on the Bid sheet to include all labor, equipment, traffic control devices, appliances, plant, materials, incidentals and performing all operations and reporting in connection with furnishing, installing, and construction of all Portland cement and bituminous concrete work and appurtenance work, complete, in place and accepted in accordance with these bid documents. A minimum payment of one square yard will be paid for any patches less than one square yard in size.
- 23.2 Payments for Bituminous and Portland cement patches shall be made according to the actual size of the cutouts based on measurements taken by Warwick Water Division. If a difference between the measurement taken by the contractor and the Water Division, the Water Division measurements shall prevail.
- 23.3 Invoices shall be submitted upon completion of each approved repair. Payment cannot be processed unless all required information is included with each invoice. Each invoice shall include:
 - 23.3.1 The identification of the repair location including the street name, house number, state or local permit number.
 - 23.3.2 Actual measured size of patch and measurement of materials used as well as unit bid item price and total for each line item.
 - 23.3.3 Dates work was completed.
 - 23.3.4 Subtotal and Total price extensions.
 - 23.3.5 Letter of inspection and acceptance of the repair from the State or City Agency responsible for the roadway.
 - 23.3.6 Copy of the paid Police Department invoice for traffic control.
- 23.4 The Contractor shall be reimbursed for traffic control by Police, based on actual paid invoiced amounts submitted from the Police Department without an allowance for overhead and profit.

**BID FORM TO WARWICK WATER DIVISION
ANNUAL BITUMINOUS CONCRETE AND PORTLAND
CEMENT REPAIR SERVICES
FOR SIDEWALKS AND ROADWAYS**

The undersigned declares that the only persons or parties interested in this Bid as principles are as stated: that the Bid is made without any collusion with other persons, firms, or corporations; that they have carefully examined all the documents and that they have informed themselves fully in regard to all conditions pertaining to the work and from them the undersigned makes this Bid. These prices shall cover all expenses incurred in performing the work required under the Documents of which this Bid is a part.

The undersigned hereby agrees to all items listed in the instructions to Bidders and technical specifications and will provide all material and services as accepted by the Warwick Water Division in the Purchase Order to be provided to the lowest respective Bidders.

Bid prices must reflect adherence to the provisions of the State Labor Laws concerning payment of prevailing wage. The rates of pay set forth in these minimums shall be paid during the life of the contract.

The "quantities" listed in the bid form are approximate and are given for use in comparing bids and to indicate approximately the total amount of the contract; and the OWNER does not expressly or by implication represent that the actual amounts of work will even correspond therewith, but does call particular attention to uncertainty of the quantities of work involved. An increase or decrease in the quantity for any item shall not be regarded as grounds for an increase or decrease in the unit bid price. The owner reserves the right to increase or decrease the approximate quantities, or to omit entirely, any item listed in the bid.

DEPARTMENT OF PUBLIC WORKS, WATER DIVISION
ANNUAL BITUMINOUS CONCRETE AND PORTLAND CEMENT
FOR SIDEWALKS AND ROADWAYS BID SHEET

Item No. 1 BITUMINOUS ROAD REPAIR (gravel base). 2 inches of Class 1-1 bituminous concrete (surface) and 2 inches of binder complete for a total of 4 compacted inches with 12 inch gravel base and hot asphalt pressure seam seal per RIDOT specifications and contract documents:

<u>CATEGORY 1A</u>	<u>EST QUANTITY</u>	<u>UNIT PRICE</u>	<u>TOTAL</u>
Bituminous repair			
Gravel base	750 S.Y.	\$_____	\$_____

Item No. 2 BITUMINOUS ROAD REPAIR (rigid concrete road base). 2 inches of Class 1-1 bituminous concrete (surface) and 2 inches of binder, for a total of 4 compacted inches and 8 inches of Portland cement concrete base complete and hot asphalt pressure seam seal per RIDOT specifications and contract documents:

<u>CATEGORY 2A</u>	<u>EST QUANTITY</u>	<u>UNIT PRICE</u>	<u>TOTAL</u>
Bituminous repair			
Concrete base	750 S.Y.	\$_____	\$_____

Item No. 3 DRILL AND GROUT REINFORCING DOWELS (rigid concrete road base). No. 5 rebar installed and grouted in drilled holes of the existing concrete base complete per RIDOT specifications:

<u>CATEGORY 3A</u>	<u>EST QUANTITY</u>	<u>UNIT PRICE</u>	<u>TOTAL</u>
No.5 Dowels	50 EA.	\$_____	\$_____

Item No. 4 BITUMINOUS ROAD REPAIR 2 inch compacted bituminous concrete base course lifts complete, placed upon request and prior approval of the Warwick Water Division, when necessary to match existing surface of the bituminous concrete roadway, when the thickness of the existing roadway exceeds the 2 inches of Class 1-1 bituminous concrete (surface) and 2 inches of binder (total 4 compacted inches) noted in Bid Items 1 and 2 above:

<u>CATEGORY 4A</u>	<u>EST QUANTITY</u>	<u>UNIT PRICE</u>	<u>TOTAL</u>
Bituminous base. 2" inch course	150 S.Y.	\$_____	\$_____

Item No. 5 BITUMINOUS SIDEWALK REPAIR (flexible base). Match existing thickness of Class 1-2 bituminous concrete surface complete (minimum 4 compacted inches) per RIDOT specifications and contract documents:

<u>CATEGORY 5A</u>	<u>EST QUANTITY</u>	<u>UNIT PRICE</u>	<u>TOTAL</u>
Bituminous sidewalk	50 S.Y.	\$_____	\$_____

Item No. 6 PORTLAND CEMENT CONCRETE SIDEWALK REPAIR Portland cement concrete placed at the same thickness as the existing adjacent sidewalk complete (4 inch minimum thickness). Per RIDOT specifications and contract documents. Thickness of driveway areas shall be the same as existing adjacent driveway area (4 inch minimum thickness):

<u>CATEGORY 6A</u>	<u>EST QUANTITY</u>	<u>UNIT PRICE</u>	<u>TOTAL</u>
Concrete sidewalk Repair	25 S.Y	\$_____	\$_____

Item No. 7 PORTLAND CEMENT CONCRETE (Sidewalk and driveway repair) Portland concrete placed per cubic yard in excess of the requirement amount identified in Bid Item No. 6 complete:

<u>CATEGORY 7A</u>	<u>EST QUANTITY</u>	<u>UNIT PRICE</u>	<u>TOTAL</u>
Concrete driveway And sidewalk	25 S.Y.	\$_____	\$_____

Item No. 8 CURBING (Material only).

<u>CATEGORY 8A</u>	<u>EST QUANTITY</u>	<u>UNIT PRICE</u>	<u>TOTAL</u>
Precast Concrete.	50 linear feet	\$_____	\$_____

<u>CATEGORY 8B</u>	<u>EST QUANTITY</u>	<u>UNIT PRICE</u>	<u>TOTAL</u>
Granite 5" thick	24 linear feet	\$_____	\$_____

<u>CATEGORY 8C</u>	<u>EST QUANTITY</u>	<u>UNIT PRICE</u>	<u>TOTAL</u>
Granite 6" thick	24 linear feet	\$_____	\$_____

<u>CATEGORY 8D</u>	<u>EST QUANTITY</u>	<u>UNIT PRICE</u>	<u>TOTAL</u>
Precast Concrete 2 foot return	1 ea.	\$_____	\$_____

<u>CATEGORY 8E</u>	<u>EST QUANTITY</u>	<u>UNIT PRICE</u>	<u>TOTAL</u>
Granite 2 foot return	1 ea.	\$_____	\$_____

Item No. 9 RAISE AND RESET CONCRETE/GRANITE CURBING (only upon request and prior approval of the Warwick Water Division). Raise and reset curbing complete:

<u>CATEGORY 9A</u>	<u>EST QUANTITY</u>	<u>UNIT PRICE</u>	<u>TOTAL</u>
Raise/reset curbing	50 linear feet	\$_____	\$_____

Item No. 10 GRAVEL BASE (Only upon request and/or emergency request and prior approval of the Warwick Water Division). Furnish place compact gravel base complete, beyond amounts indicated in the contract document specifications.

<u>CATEGORY 10A</u>	<u>EST QUANTITY</u>	<u>UNIT PRICE</u>	<u>TOTAL</u>
Gravel Base	50 C.Y	\$_____	\$_____

Item No. 11 INFRARED BASE (Only upon request and prior approval of the Warwick Water Division). Conduct infrared seam sealing complete per the RIDOT specifications and contract documents:

<u>CATEGORY 11A</u>	<u>EST QUANTITY</u>	<u>UNIT PRICE</u>	<u>TOTAL</u>
Infrared sealing	200 linear feet	\$_____	\$_____

Item No. 12 PRESSURIZED HOT ASPHALT SEAM SEALING (Only upon request and prior approval of the Warwick Water Division). Conduct pressurized hot asphalt seam sealing complete per the RIDOT specifications and contract documents:

<u>CATEGORY 12A</u>	<u>EST QUANTITY</u>	<u>UNIT PRICE</u>	<u>TOTAL</u>
Pressurized hot Asphalt sealing	200 linear feet	\$_____	\$_____

Item No. 13 EMERGENCY TEMPORARY HOT PATCH ROAD REPAIR Upon emergency request respond within a 24 hour period and install 12 inch compacted gravel base and Class 1-1 bituminous concrete trench patch in 2 inch compacted lifts complete, to a maximum of 4 compacted inches, per section 410 of the RIDOT specifications and contract documents:

<u>CATEGORY 13A</u>	<u>EST QUANTITY</u>	<u>UNIT PRICE</u>	<u>TOTAL</u>
Hot patch Emergency temporary	250 SY	\$_____	\$_____

Item No. 14 OVERLAY PAVEMENT Class 1-1 bituminous concrete 1 ½ overlay pavement shall be measured and paid for by the square yard including, but not limited to all labor, materials, frame and box adjustments, sweeping, tack coat, key cutting and grinding. All work shall be in accordance with RIDOT specifications and contract documents:

<u>CATEGORY 14A</u>	<u>EST QUANTITY</u>	<u>UNIT PRICE</u>	<u>TOTAL</u>
Overlay pavement	250 SY	\$_____	\$_____

TOTAL BASE BID ITEMS 1 – 14 \$_____

The Contractor will be paid for traffic control provided by the Warwick Police Department, based on actual paid invoiced amounts from the Police Department, without an allowance for overhead and profit. The cost for Police should not be included in the bid prices for this contract.

The names and residences of all persons and parties interested in the foregoing Bid and principals are as follows:

(Give first and last names in full. In the case of a corporation, or partnership, see Article 6 of the Instructions to Bidders).

Notice of acceptance should be mailed to the undersigned Bidders at the following address:

(Name)

By: _____
(Title)

(Business Address)

(City and State)

Date _____

Note: If the Bidder is a corporation, indicate State of incorporation under signature, and affix corporate seal; if a partnership, give full names and residential addresses, if different from business address.

REFERENCE INFORMATION PERTAINING TO ARTICLE 1

Provide three (3) references from utility, agency or municipality in which the Bidder has been the prime contractor and has successfully completed sidewalk and roadway trench patch services similar to the work required in the bid documents and RIDOT specifications within the past two years.

1. Contracting Party Name: _____ Contract Amount _____

Contact Person _____ Phone Number _____

Address _____

2. Contracting Party Name _____ Contract Amount _____

Contact Person _____ Phone Number _____

Address _____

3. Contracting Party Name _____ Contract Amount _____

Contact Person _____ Phone Number _____

Address _____

Provide a complete listing of equipment owned by the bidder available for this contract including make, model, capacity and age.

Equipment _____

(add sheets as necessary)

CITY OF WARWICK

BID AND CONTRACT FORM

TITLE OF SPECIFICATION: Bid #2015-127 Annual Bituminous Concrete
& Portland Cement As Needed Repair Services for Sidewalks & Roadways

I. BID:

WHEREAS, the CITY OF WARWICK has duly asked for bids for performance of services and/or supply of goods in accordance with the above-indicated specifications.

The person or entity below does irrevocably offer to perform the services and/or furnish the goods in accordance with the specifications, which are hereby incorporated by reference in exchange for the bid price below;

This offer shall remain open and irrevocable until the CITY OF WARWICK has accepted this bid or another bid on the specifications or abandoned the project.

The bidder agrees that acceptance below by the CITY OF WARWICK shall transform the bid into a contract. This bid and contract shall be secured by Bonds, if required by the specifications.

Pricing as Submitted